L	Hits	Search Text	DB	Time stamp
Number	2	("6094649").PN.	IICDAM -	2002/00/20
1	2	("BU94B49").PN.	USPAT; US-PGPUB; EPO; JPO;	2003/09/30 15:51
2	2	("6338068").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/30 15:52
13	2	("6581052").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/30 16:50
14	2	("6513047").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/30
15	2	((("6094649").PN.) (("6338068").PN.) (("6581052").PN.) (("6513047").PN.)) and (common)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/30
16	6	(("6581052") or ("5517892") or ("6513047")).PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/30 16:53
_	,0	("file name" and constructing).ti.	IBM_TDB USPAT; US-PGPUB;	2003/09/09 14:50
_	96	702/119.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/28 09:33
-	97	702/123.ccls.	DERWENT; IBM_TDB USPA1; US-PGPUB; EPO; JPO;	2002/00/28 10:49
-	20	file with directory with (search or searches or searched or searching) with string	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/28 11:10
-	194	((file or files) ADJ3 (share or shares or sharing or shared)).ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/28 11:19
-	11	"first test system" with "second test system"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/28 11:21
_	317	(combine or combines or combined or combining or combination or combinations) with ("file name" or "file-name" or filename)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/28 12:53

Combine or combines or combined or combining or combination or combinations   12:52					
-	<b> </b> -	2	("6,167,401").PN.	USPAT;	2002/08/28
-		<u> </u>		US-PGPUB:	
2					12772
Combine or combines or combined or combining or combination or combinations or combination or combinatio				t	
-				1	
US-GRUEN;   EPO, JPO, DERWENT;   EPO, JPO, JPO, DERWENT;   EPO, JPO, JPO, DERWENT;   EPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J				_	
BEO, JPO;   DERWENT;   IMM TDB   USPAT   USP	-	2	("5745888").PN.	USPAT;	2002/08/28
Combine or combines or combined or combining or combination or combinations) with ("file name" or "file-name" or file-name" or file-name or file-name or combination or combination or combination or combination or combining or combination or combination or combination or combination or combination or combining or combination or combination or combining or combination or combination or combining or combination				US-PGPUB;	12:52
Combine or combines or combined or combining or combination or combinations) with ("file name" or "file-name" or file-name" or file-name or file-name or combination or combination or combination or combination or combining or combination or combination or combination or combination or combination or combining or combination or combination or combining or combination or combination or combining or combination				EPO: JPO:	
2	j			1	
Combining or combinations   USPAT;   2002/08/28   13:14				1	
Combining or combination or combinations   US-PGPUB;   13:14	<u>l</u>	1			2000 (00 (00
### ### ### ### ### ### ### ### ### ##	<u> </u> –	2		· ·	
filename) and 5745888.pn.   DERWENT; IM TDB USPAT; IM TDB USPAT; US-FOFUB; EFO; JPO; DERWENT; ISSAP; US-FOFUB; USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT; USPAT				US-PGPUB;	13:14
filename) and 5745888.pn.   DERWENT; IM TDB USPAT; IM TDB USPAT; US-FOFUB; EFO; JPO; DERWENT; ISSAP; US-FOFUB; USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT; USPAT			with ("file name" or "file-name" or	EPO; JPO;	
Test systems" with database					
- 10 "test systems" with database				,	
US-PGPUB:   14:10		10	"to at anatomal with database		2002/00/20
- 10 ("5317728"   "5355320"   "5392209"   DERWENT; IBM TDB USPAT   USPAT   USPAT   2002/08/28   13:39   USPAT   2002/08/28   13:40   USPAT   USPAT   2002/08/28   USPAT   US	-	10	test systems with database	1	
-   10				1	14:10
10				EPO; JPO;	
- 10 ("5317728"   "5355320"   "5392209"   3339   3339   3434790"   "5434790"   3434790"   3434790"   3434790"   343668735"   3587192.URPN.				DERWENT;	
- 10 ("5317728"   "5355320"   "5392209"   3339   3339   3434790"   "5434790"   3434790"   3434790"   3434790"   343668735"   3587192.URPN.				IBM TDB	ŧ
"5434790"   "5434792"   "5463555"     "5539652"   "5553951"   "5664100"     "5668735").PN.     - 2 5857192.URPN.     - 6 ("5842206"   "5937406"   "5974441").PN.     - 7937064"   "5937406"   "5974441").PN.     - 8 4	l _	10	/"5317728"   "5355320"   "5392209"	· —	2002/08/28
- 2 "555952"   "5555351"   "5664100"   "5668735").PN.  - 3668735").PN 8587192.URPN 6 ("5842206"   "5937406"   "5974441").PN 75937064"   "5937406"   "5974441").PN 14 "test systems" with databases - 545 707/8.ccls 707/8.ccls 707/8.ccls 707/8.ccls 707/8.ccls 707/8.ccls 10 (test or testing or tests or tester or tester or testers or tested).ti. and ((input or inputs or inputting or inputted) with (database or "data base" or "file-name") tilename or "file name" or "file-name") tilenput or inputted) with (string or strings or name or filename or "file-name") tilenput or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name") tilenputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "Imputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file name") - 70 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "File name") - 77 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "SPPCUB; EPO, JPO; DERWENT; IBM TDB USPAT: US-PCPUB; EPO, JPO; DERWENT; IBM TDB USPAT: US-PCPUB; EPO, JPO; DERWENT; IBM TDB - 772 "file retrieval" US-PCPUB; EPO, JPO; DERWENT; IBM TDB - 772 "file retrieval" 98 "file retrieval" 98 "file retrieval" 98 "file retrieval" 98 "file retrieval".		10		OSEAT	•
2   5857192.URPN.   USPAT   2002/08/28   13:40   USPAT   2002/08/28   13:40   USPAT   2002/08/28   13:40   USPAT   2002/08/28   14:05   USPAT   USPA					13:39
-				1	
Comparison of the comparison			"5668735").PN.		
Comparison of the comparison	-	2	5857192.URPN.	USPAT	2002/08/28
- 6 ("5842206"   "5857192"   "5873076"   USPAT: 2002/08/28   15937064"   "5937046"   "5974441").PN.					
14	_	ا د	("5842206"   "5857192"   "5873076"	TISPAT	
Test systems   With databases		"	\	JULAT	
14:13   US-PGPUB;   EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT;					
EPO, JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; I	-	4	"test systems" with databases		1
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; U				US-PGPUB;	14:13
TBM_TDB				EPO; JPO;	
TBM_TDB				DERWENT:	
- 545 707/8.ccls. USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPA				· ·	İ
WINRUNNER   US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; IBM TDB		E 4 E	707/9 0010		2002/08/28
- 7 "WINRUNNER"  - 7 "WINRUNNER"  - 10 (test or testing or tests or tester or testers or tester or testers or testers or tester or testers or testers or tester  or tester or tester or testers or testers or testers or tester or testers or tester or testers or testers or testers or tester or testers or testers or tester or testers or tester or testers or testers or testers or testers or tester or testers or testers or testers or testers or testers or testers or tester or data base" or Testers or testers or data base" or Testers or	_	343	707/0.0018.	1	
- 7 "WINRUNNER"    10   (test or testing or tests or tester or testers or tested).ti. and ((input or inputs or inputting or inputted) with (database or "data base" or "file-name")) ((input or inputs or inputting or name or filename or "file name")) ((input or inputs or inputting or or name or filename or "file name")) (((input or inputs or inputting or or name or filename or "file name")) (((input or inputs or inputting or or name or filename or "file name" or "file-name")) (((input or inputs or inputting or or name or filename or "file name" or "file-name")) (((input or inputs or inputting or DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT)) (((input or inputs or inputting or DERWENT); IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT)) same (combine or combines or combined or combination or combinations) (Tile name")) (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; D				1	14:34
- To "WINRUNNER"    To a load			EPO; JPO;		
To   WINRUNNER"   USPĀT; USPĀTT; USPĀTT UPĀTT				DERWENT;	l i
To   WINRUNNER"   USPĀT; USPĀTT; USPĀTT UPĀTT				TBM TDB	
10	_	7	"TAT MOINNED"	_	2002/08/28
Comparison of tests of tester or tester or testers or tested).ti. and ((input or inputs or inputting or inputting or inputted) with (database or "data base" or "file-name"))		'	ATMIONIARY	•	, ,
- 10 (test or testing or tests or tester or testers or tested).ti. and ((input or inputs or inputting or inputted) with (database or "data base" or "dilename or "filename"))  - 1555 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "filename"))  - 77 ((input or inputs or inputting or or "data-base") with (string or strings or name or filename or "filename")  - 77 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  - 77 (input or inputs or inputting or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  - 77 (file-name")) same (combine or combines or combined or combining or combination or combinations)  - 772 ("file retrieval"  - 98 "file retrieval".  98 "file retrieval".ti.  DERWENT;  IBM_TDB  14:54  USPAT;  USPAT;  US-FGPUB;  EPO; JPO;  DERWENT;  IBM_TDB  2002/08/28  15:03  2002/08/28  15:03  2002/08/28  15:03					14:40
Total Content   Total Conten					
10   (test or testing or tests or tester or testers or testers).ti. and ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "filename")   ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename")   ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name")   ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))   same (combine or combines or combined or combining or combination or combinations)   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US					]
testers or tested).ti. and ((input or inputs or inputts or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name"))  ((input or inputs or inputting or inputted) with (database or "data base" or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  ((input or inputs or inputting or aname or filename or "file name" or "file-name"))  (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or inputted) with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	1	ì		IBM_TDB	j ' i
testers or tested).ti. and ((input or inputs or inputts or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name"))  ((input or inputs or inputting or inputted) with (database or "data base" or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  ((input or inputs or inputting or aname or filename or "file name" or "file-name"))  (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or inputted) with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	-	10	(test or testing or tests or tester or	USPAT;	2002/08/28
inputs or inputting or inputted) with (database or "data base") or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or "data-base") with (string or strings or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  - 772  772  772  772  773  774  775  776  777  777  778  779  770  770  770  770					, ,
(database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name")) ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772  772  772  772  78  78  78  78  78					
with (string or strings or name or filename or "filename") ((input or inputs or inputting or inputting or inputted) with (database or "data base" or "filename"))  77 ((input or inputs or inputting or inputting or inputted) with (database or "data base" or "filename"))  78 ((input or inputs or inputting or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "filename")) same (combine or combines or combined or combining or combination or combinations)  79 (Tile retrieval"  70 (Vinput or inputs or inputting					
filename or "file name" or "file-name")) ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  98 "file retrieval".ti.  File-name"))  98 "file retrieval".ti.			(ualabase or data base or "data-base")		]
1555 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name")) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  98 "file retrieval".ti.  98 "file retrieval".ti.  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EFO; JPO; DERWENT; ISPAT; US-PGPUB; EFO; JPO; DERWENT; US-		j	with (string or strings or name or	IBM_TDB	
1555 ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))  77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name")) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  98 "file retrieval".ti.  98 "file retrieval".ti.  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EFO; JPO; DERWENT; ISPAT; US-PGPUB; EFO; JPO; DERWENT; US-		1	filename or "file name" or "file-name"))		
inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or DERWENT; IBM_TDB  ((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772	-	1555		USPAT;	2002/08/28
or "data-base") with (string or strings or name or filename or "file name" or "file-name")  77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name")) same (combine or combines or combined or combining or combination or combinations)  772 (Triple retrieval")  98 (Triple retrieval") with (string or strings or strings or name or filename or "file name" or "fil			, , , , , , , , , , , , , , , , , , , ,		
or name or filename or "file name" or "file-name"))  (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772  772  772  772  78  78  78  78  78		1			
"file-name")) (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  - 772 "file retrieval"  - 98 "file retrieval".ti.    1BM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; U		1		l .	
- 77 (((input or inputs or inputting or inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  - 772 "file retrieval"  772 "file retrieval"  773 "file retrieval"  98 "file retrieval".ti.		1			
inputted) with (database or "data base" or "data-base") with (string or strings or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  - 772 "file retrieval"  - 98 "file retrieval".ti.  98 "file retrieval".ti.  15:02  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT;			1	_	
or "data-base") with (string or strings or name or filename or "file name" or "BERWENT; "IBM_TDB or combination or combinations)  - 772 "file retrieval"  - 98 "file retrieval".ti.  98 "file retrieval".ti.  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	77			
or "data-base") with (string or strings or name or filename or "file name" or "BERWENT; "IBM_TDB or combination or combinations)  - 772 "file retrieval"  - 98 "file retrieval".ti.  98 "file retrieval".ti.  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	15:02
or name or filename or "file name" or "file-name"))) same (combine or combines or combined or combining or combination or combinations)  772 "file retrieval"  98 "file retrieval".ti.  98 "file retrieval".ti.  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			or "data-base") with (string or strings	EPO; JPO;	
"file-name"))) same (combine or combines or combined or combining or combination or combinations)  - 772 "file retrieval" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
or combined or combining or combination or combinations)  - 772 "file retrieval" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
or combinations)  "file retrieval"  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				****-***	
- 772 "file retrieval" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			·	l	1
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;  US-PGPUB; DERWENT;	-	772	"file retrieval"	USPAT;	1
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	15:03
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				EPO; JPO;	
BM_TDB   USPAT;   2002/08/28   US-PGPUB;   EPO; JPO;   DERWENT;   DERWENT;					
- 98 "file retrieval".ti. USPAT; 2002/08/28 US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; 15:03 EPO; JPO; DERWENT;		00			2002/00/20
EPO; JPO; DERWENT;	-	98	"Ille retrieval".tl.	L	
DERWENT;		1		US-PGPUB;	15:03
				EPO; JPO;	
				1	
111111111111111111111111111111111111111				I	
	L		I	1	

		<u> </u>		
-	37	· · · · · · · · · · · · · · · · · · ·	USPAT;	2002/08/28
		US-6332211-\$ or US-6205407-\$ or	US-PGPUB	15:05
		US-5799266-\$ or US-5757680-\$ or		i
		US-5745389-\$ or US-6385664-\$ or		
		US-5388257-\$ or US-6219777-\$ or		
		US-6311301-\$ or US-6313652-\$ or	1	
	1	US-6279157-\$ or US-6119133-\$ or	1	
		US-6094654-\$ or US-5937096-\$ or		1
		US-5896530-\$ or US-5832471-\$ or		
		US-5794226-\$ or US-5778385-\$ or		
		US-5758061-\$ or US-5724503-\$ or		
1		US-6167401-\$ or US-5603020-\$ or	l	
		US-5421015-\$ or US-5421012-\$).did. or		
1		(US-5369778-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-5745888-\$ or		
	Ì			
		US-6421071-\$ or US-5857192-\$ or	į	
ł		US-5392209-\$ or US-5317728-\$ or		
		US-5937406-\$).did. or (US-20020032538-\$		
		or US-20020107653-\$).did.		<u> </u>
_	11	((US-6405149-\$ or US-6356859-\$ or	USPAT;	2002/08/28
		US-6332211-\$ or US-6205407-\$ or	US-PGPUB;	15:14
		US-5799266-\$ or US-5757680-\$ or		13.11
1			EPO; JPO;	
		US-5745389-\$ or US-6385664-\$ or	DERWENT;	
		US-5388257-\$ or US-6219777-\$ or	IBM_TDB	į i
ł		US-6311301-\$ or US-6313652-\$ or		
		US-6279157-\$ or US-6119133-\$ or		
		US-6094654-\$ or US-5937096-\$ or		. 1
	ì	US-5896530-\$ or US-5832471-\$ or		
		US-5794226-\$ or US-5778385-\$ or		
		US-5758061-\$ or US-5724503-\$ or		
		1		
		US-6167401-\$ or US-5603020-\$ or		
		US-5421015-\$ or US-5421012-\$).did. or		ļ
		(US-5369778-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-5745888-\$ or	İ	
		US-6421071-\$ or US-5857192-\$ or		1
		US-5392209-\$ or US-5317728-\$ or		
		US-5937406-\$).did. or (US-20020032538-\$		
	-	or US-20020107653-\$).did.) and databases		0000 (00 (00
-	1	(store or stores or storing or stored)	USPAT;	2002/08/28
		with "data type" with (different or	US-PGPUB;	15:16
		separate) with (databases or "data bases"	EPO; JPO;	
		or data-bases)	DERWENT;	
		,	IBM TDB	
l _	2	(store or stores or storing or stored)	USPAT;	2002/08/28
		with "data types" with (different or	US-PGPUB;	15:24
				13.24
		separate) with (databases or "data bases"	EPO; JPO;	
		or data-bases)	DERWENT;	
	1		IBM_TDB	<u> </u>
-	240	((test or tests or testing or tested or	USPAT;	2002/08/28
		tester or testers) and (database or "data	US-PGPUB;	15:53
		base" or data-base)).ti.	EPO; JPO;	
		data subcijiti.	DERWENT;	į
				1
			IBM_TDB	1 2002 (00 (00
-	39		USPAT;	2002/08/28
		or "datatype" or "data-type"))	US-PGPUB;	15:41
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	j l
1_	1	((test or tests or testing or tested or	USPAT;	2002/08/28
	1			
		tester or testers) and (database or "data	US-PGPUB;	15:55
		base" or data-base)).ti. and ((database	EPO; JPO;	1
		or "data base" or data-base) with ("data	DERWENT;	}
		type" or datatype or "data-type"))	IBM TDB	
_	32	((test or tests or testing or tested or	USPAT;	2002/08/28
		tester or testers) with (database or	US-PGPUB;	16:15
		"data base" or data-base)) and ((database	EPO; JPO;	
		or "data base" or data-base) with ("data		
	1		DERWENT;	
	J	type" or datatype or "data-type"))	IBM_TDB	

-	104	(707/\$.ccls.) and ((database or "data	USPAT;	2002/08/28
		base" or data-base) with default with	US-PGPUB;	16:28
		user)	EPO; JPO;	1 20120
	1	user,	1	
			DERWENT;	
			IBM_TDB	
-	11	((US-6405149-\$ or US-6356859-\$ or	USPAT;	2002/08/28
		US-6332211-\$ or US-6205407-\$ or	US-PGPUB;	16:26
		US-5799266-\$ or US-5757680-\$ or	EPO; JPO;	1
				ļ
		US-5745389-\$ or US-6385664-\$ or	DERWENT;	
		US-5388257-\$ or US-6219777-\$ or	IBM_TDB	
		US-6311301-\$ or US-6313652-\$ or		
		US-6279157-\$ or US-6119133-\$ or		
		US-6094654-\$ or US-5937096-\$ or		1
		US-5896530-\$ or US-5832471-\$ or		
		US-5794226-\$ or US-5778385-\$ or		!
		US-5758061-\$ or US-5724503-\$ or		1
		US-6167401-\$ or US-5603020-\$ or		1
		US-5421015-\$ or US-5421012-\$).did. or		1
		(US-5369778-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-5745888-\$ or		1
		US-6421071-\$ or US-5857192-\$ or		
		US-5392209-\$ or US-5317728-\$ or		
		US-5937406-\$).did. or (US-20020032538-\$	1	
		or US-20020107653-\$).did.) and default		
			110050	1 2002 (22 (22
-	1	("6442511").PN.	USPAT;	2002/08/28
			US-PGPUB;	16:26
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1	1	(707/0 1 - ) 3 //3-4-5 "1-	<u> </u>	2002/00/20
-	294		USPAT;	2002/08/28
		base" or data-base) with "data type")	US-PGPUB;	16:32
			EPO; JPO;	
			DERWENT;	]
			· ·	
		(707/4 ) ) //:::	IBM_TDB	1 2222 (22
-	27	(707/\$.ccls.) and ((database or "data	USPAT;	2002/08/28
		base" or data-base) with "data type" with	US-PGPUB;	16:33
		(different or separate))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
		(707/0 1 - ) 1 (/1-+-} !!-	. —	2002/00/20
_	3	(707/\$.ccls.) and ((databases or "data	USPAT;	2002/08/28
		bases" or data-bases) with "data type"	US-PGPUB;	16:34
		with (different or separate))	EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
1_	ا ه	(707/\$.ccls.) and ((databases or "data	USPAT;	2002/08/28
-	°			
1	1	bases" or data-bases) with "data types"	US-PGPUB;	16:34
1		with (different or separate))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	34	(707/\$.ccls.) and ((database or "data	USPAT;	2002/08/28
1	37			1
1		base" or data-base) with "data types"	US-PGPUB;	16:34
1		with (different or separate))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	22	("4716404"   "5179652"   "5202828"	USPAT	2002/08/28
	"	"5220648"   "5241671"   "5381158"		16:41
		, , ,		1.0.41
[		"5404435"   "5421008"   "5428727"		
		"5434966"   "5579471"   "5613032"		
		"5630121"   "5655117"   "5659742"		
		"5717914"   "5742816"   "5813014"		
		"5832495"   "5842203"   "5862223"		
1		·		
		"5873080").PN.		
-	84	702/120.ccls.	USPAT;	2002/08/30
			US-PGPUB;	10:08
			EPO; JPO;	
			DERWENT;	
		1	LUDRAMENT	1
			IBM TDB	

-	96	702/122.ccls.	USPAT;	2002/08/30
			US-PGPUB;	10:12
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	32	user with (input or inputs or inputting	USPAT;	2002/08/30
1		or inputted or enter or enters or entered	US-PGPUB;	11:00
		or entering) with (database or data-base	EPO; JPO;	1
				Ī
	i	or "data base") with ("filename" or	DERWENT;	
		"file-name" or "file name")	IBM_TDB	
_	50	user with (input or inputs or inputting	USPAT;	2002/08/30
		or inputted or enter or enters or entered	US-PGPUB;	10:37
		or entering) with (database or data-base	EPO; JPO;	
1				l i
		or "data base") with ("filename" or	DERWENT;	
1		"file-name" or "file name" or (file	IBM_TDB	
		NEAR5 name))		
<del>-</del>	1852	plurality with databases	USPAT;	2002/08/30
		P	US-PGPUB;	10:37
				1 10.57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	Į Į
-	261	plurality with databases with (select or	USPAT;	2002/08/30
		selecting or selected or selects or	US-PGPUB;	10:39
		choose or chooses or choosing or chose or	EPO; JPO;	
1		chosen or retrieve or retrieved or	DERWENT;	
		retrieving or retrieves)	IBM_TDB	
-	3	(plurality with databases with (select or	USPAT;	2002/08/30
		selecting or selected or selects or	US-PGPUB;	10:41
		choose or chooses or choosing or chose or	EPO; JPO;	
		chosen or retrieve or retrieved or		
		l l	DERWENT;	
		retrieving or retrieves)) and (test or	IBM_TDB	
		tests or testing or tested or tester or		
		testers).ti.		
_	2	((plurality ADJ3 databases) with	USPAT;	2002/08/30
		(tologt or sologting or sologted or		10:41
		(select or selecting or selected or	US-PGPUB;	10:41
		selects or choose or chooses or choosing	EPO; JPO;	
		or chose or chosen or retrieve or	DERWENT;	
		retrieved or retrieving or retrieves))	IBM TDB	
		and (test or tests or testing or tested	_	
		or tester or testers).ti.		
	163	((plurality ADJ3 databases) with	USPAT;	2002/08/30
-	163			1
		(select or selecting or selected or	US-PGPUB;	10:43
i		selects or choose or choosing	EPO; JPO;	₹1»-
1	1	or chose or chosen or retrieve or	DERWENT;	
		retrieved or retrieving or retrieves))	IBM TDB	
_	16	((plurality ADJ3 databases) with	USPAT;	2002/08/30
	1		US-PGPUB;	10:58
1		(select or selecting or selected or		-0.30
		selects or choose or choosing	EPO; JPO;	
		or chose or chosen or retrieve or	DERWENT;	
		retrieved or retrieving or retrieves))	IBM TDB	
		and ("file name" or "filename" or	_	
1		"file-name")		
1		1	TICDAM -	2002/08/30
-	4	"name.dat"	USPAT;	
			US-PGPUB;	10:58
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	0	"name.database"	USPAT;	2002/08/30
_		name.uacabase	•	, ,
			US-PGPUB;	10:59
		1	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	   "?.database"	USPAT;	2002/08/30
	1			1
			US-PGPUB;	10:59
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	·	I		l

-	0	"\$.database"	USPAT;	2002/08/30
			US-PGPUB;	10:59
			EPO; JPO;	120.05
1	1		DERWENT;	1
	1 _		IBM_TDB	1
-	0	"filename.database"	USPAT;	2002/08/30
			US-PGPUB;	10:59
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
1	829	(database or data-base or "data base")	USPAT;	2002/08/30
-	029			I I
		with ("filename" or "file-name" or "file	US-PGPUB;	11:09
		name")	EPO; JPO;	!
			DERWENT;	1
	}		IBM_TDB	
_	54	(database or data-base or "data base")	USPAT;	2002/08/30
		with (includes) with ("filename" or	US-PGPUB;	11:13
	1	"file-name" or "file name")	EPO; JPO;	
		Tile name of tile name /	DERWENT;	!
	105	(11.6.)	IBM_TDB	2002/02/20
_	185		USPAT;	2002/08/30
		name") ADJ3 (database or data-base or	US-PGPUB;	11:14
		"data base")	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2050	707/3.ccls.	USPAT;	2002/08/30
	2030	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	11:52
				11.54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1074	707/4.ccls.	USPAT;	2002/08/30
			US-PGPUB;	11:52
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	919	707/5.ccls.	USPAT;	2002/08/30
	919	70770.0013.	· ·	11:52
			US-PGPUB;	11.52
			EPO; JPO;	]
	1		DERWENT;	
	1		IBM_TDB	
-	738	707/6.ccls.	USPAT;	2002/08/30
			US-PGPUB;	11:52
: <b>1</b>	i		EPO; JPO;	*
			DERWENT;	
			IBM TDB	ļ l
l _	652	707/201.ccls.	USPAT;	2002/08/30
	552	, 201.0015.	US-PGPUB;	11:53
				11.00
			EPO; JPO;	ļ l
			DERWENT;	
	I		IBM_TDB	[
<del>-</del>	509	707/202.ccls.	USPAT;	2002/08/30
			US-PGPUB;	11:53
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
l <b>_</b>	677	707/203.ccls.	USPAT;	2002/08/30
	","	707,200.0010.	US-PGPUB;	11:53
				11.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	506	707/204.ccls.	USPAT;	2002/08/30
	]		US-PGPUB;	11:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	Į l
	1.0	//"E76E1EE"\ 0m /"E0E7100"\	_	2002/08/20
_	18	(("5765155") or ("5857192") or	USPAT;	2002/08/30
		("5991772") or ("20020023175") or	US-PGPUB;	17:05
		("6287123") or ("5392209") or ("5317728")	EPO; JPO;	
		or ("6119133") or ("5394546")).PN.	DERWENT;	į l
			IBM TDB	

-	0	((("5765155") or ("5857192") or	USPAT;	2002/08/30
		("5991772") or ("20020023175") or	US-PGPUB;	17:05
		("6287123") or ("5392209") or ("5317728")	EPO; JPO;	
		or ("6119133") or ("5394546")).PN.) and		
	!		DERWENT;	
		default	IBM_TDB	
-	61	(US-6405149-\$ or US-5757680-\$ or	USPAT;	2002/08/30
		US-6308188-\$ or US-6325283-\$ or	US-PGPUB	17:05
		US-6308171-\$ or US-5991772-\$ or		
		US-5765155-\$ or US-5873088-\$ or		
		US-5220625-\$ or US-5379424-\$ or		
		US-5421012-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-6438491-\$ or		
		US-6415307-\$ or US-6287123-\$ or		
		US-6363358-\$ or US-6070164-\$ or		
1		US-5983220-\$ or US-5897607-\$ or		
		US-5726702-\$ or US-5421015-\$ or		
	:	US-5634124-\$ or US-5161102-\$ or		
	6	• • • • • • • • •		
	ł	US-5369778-\$ or US-6332211-\$).did. or		
	ļ	(US-6356859-\$ or US-6205407-\$ or		1
		US-5745389-\$ or US-5799266-\$ or	Į.	1
		US-6385664-\$ or US-5388257-\$ or	]	1
		,		
		US-6219777-\$ or US-6311301-\$ or	-	
]	1	US-6313652-\$ or US-6279157-\$ or	<b>!</b>	
j		US-6119133-\$ or US-6094654-\$ or	1	
		US-5937096-\$ or US-5896530-\$ or	†	
		US-5832471-\$ or US-5794226-\$ or		
		US-5778385-\$ or US-5758061-\$ or		
		US-5745888-\$ or US-5724503-\$ or		
		US-5603020-\$ or US-6167401-\$ or		
		US-6421071-\$ or US-5857192-\$ or	İ	
		US-6138112-\$ or US-5317728-\$ or		
		US-5392209-\$).did. or (US-5937406-\$ or	Ì	
		US-6421674-\$ or US-5325522-\$ or		
		US-5394546-\$).did. or (US-20020023175-\$		
		or US-20010047373-\$ or US-20020107653-\$		1
		or US-20020032538-\$).did.		
-	21	((US-6405149-\$ or US-5757680-\$ or	USPAT;	2002/08/30
		US-6308188-\$ or US-6325283-\$ or	US-PGPUB;	17:05
		US-6308171-\$ or US-5991772-\$ or	EPO; JPO;	1,,,,,
		· · · · · · · · · · · · · · · · · · ·		
		US-5765155-\$ or US-5873088-\$ or	DERWENT;	
		US-5220625-\$ or US-5379424-\$ or	IBM_TDB	
		US-5421012-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-6438491-\$ or	1	
		US-6415307-\$ or US-6287123-\$ or	1	
		· ·	<u> </u>	
		US-6363358-\$ or US-6070164-\$ or		
		US-5983220-\$ or US-5897607-\$ or		
		US-5726702-\$ or US-5421015-\$ or	1	
		US-5634124-\$ or US-5161102-\$ or		
		US-5369778-\$ or US-6332211-\$).did. or		
		(US-6356859-\$ or US-6205407-\$ or		
		US-5745389-\$ or US-5799266-\$ or		
		US-6385664-\$ or US-5388257-\$ or	1	
		US-6219777-\$ or US-6311301-\$ or	1	
		US-6313652-\$ or US-6279157-\$ or	İ	
		US-6119133-\$ or US-6094654-\$ or	]	
		US-5937096-\$ or US-5896530-\$ or	Į.	
		US-5832471-\$ or US-5794226-\$ or	1	
		US-5778385-\$ or US-5758061-\$ or	1	
į		US-5745888-\$ or US-5724503-\$ or	1	
			1	
		US-5603020-\$ or US-6167401-\$ or	1	
		US-6421071-\$ or US-5857192-\$ or		
		US-6138112-\$ or US-5317728-\$ or		
		US-5392209-\$).did. or (US-5937406-\$ or	1	
		US-6421674-\$ or US-5325522-\$ or		
		US-5394546-\$).did. or (US-20020023175-\$		
		or US-20010047373-\$ or US-20020107653-\$		
		or US-20020032538-\$).did.) and default		
ı i	l	1 == == ==============================	L	<u> </u>

-	1596	(test or tests or testing or tested) near3 database	USPAT;	2002/09/08
		near3 database	US-PGPUB; EPO; JPO;	13:06
			DERWENT;	
			IBM TDB	
_	2073	(test or tests or testing or tested)	USPAT;	2002/09/08
		near3 (data-base or "data base" or	US-PGPUB;	13:07
		database)	EPO; JPO;	
			DERWENT;	
	_	<b>,</b> , , , , , , , , , , , , , , , , , ,	IBM_TDB	2000 400 400
_	5	((test or tests or testing or tested) near3 (data-base or "data base" or	USPAT; US-PGPUB;	2002/09/08
		database)) with (file-name or filename or	EPO; JPO;	13.13
		"file name")	DERWENT;	
		,	IBM TDB	
-	0	((test or tests or testing or tested).ti.	USPAT;	2002/09/08
		and ((data-base or "data base" or	US-PGPUB;	13:15
		database)) with ("file type"))	EPO; JPO;	
			DERWENT; IBM TDB	
_	o	(test or tests or testing or tested).ti.	USPAT;	2002/09/08
		and ((data-base or "data base" or	US-PGPUB;	13:15
		database) with ("file type"))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	114	((data-base or "data base" or database)	USPAT; US-PGPUB;	2002/09/08
		with ("file type"))	EPO; JPO;	13:15
			DERWENT;	
			IBM TDB	
_	34	(	USPĀT;	2002/09/08
		((data-base or "data base" or database)	US-PGPUB;	13:16
		with ("file type"))	EPO; JPO;	
			DERWENT; IBM TDB	
_	39	(test or tests or testing or tested) and	USPAT;	2002/09/08
		((data-base or data-bases or "data bases"	US-PGPUB;	13:17
		or "data base" or databases) with ("file	EPO; JPO;	
		type" or "file-type" or filetype or "file	DERWENT;	
		types" or "file-types" or filetypes))	IBM_TDB	2002/00/00
-	0	((test or tests or testing or tested) and ((data-base or data-bases or "data bases"	USPAT; US-PGPUB;	2002/09/08 13:18
		or "data base" or databases) with ("file	EPO; JPO;	13.10
		type" or "file-type" or filetype or "file	DERWENT;	<u> </u>
		types" or "file-types" or filetypes)))	IBM_TDB	
		not ((test or tests or testing or tested)	_	
		and ((data-base or "data base" or		
		database) with ("file type" or "file-type" or filetype)))		
_	77	<del></del>	USPAT;	2002/09/08
	.,	((data-base or "data base" or database)	US-PGPUB;	13:51
		with ("file type" or "file-type" or	EPO; JPO;	
		filetype))	DERWENT;	
		(#5957102#) px	IBM_TDB	2002/00/09
-	2	("5857192").PN.	USPAT; US-PGPUB;	2002/09/08 14:02
			EPO; JPO;	14.02
			DERWENT;	
			IBM_TDB	
-	878	707/3-6.ccls. and default	USPAT;	2002/09/08
1			US-PGPUB;	13:52
			EPO; JPO;	
			DERWENT; IBM TDB	
_	366	707/3-6.ccls. and (default) with user	USPAT;	2002/09/08
		detaute) with user	US-PGPUB;	13:52
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	19	707/3-6.ccls. and ((default with user)	USPAT;	2003/03/23
		same (prompt or prompts or prompted or	US-PGPUB;	17:12
		prompting))	EPO; JPO;	- /
		prompering,		
			DERWENT;	
	_		IBM_TDB	
-	3	707/3-6.ccls. and ((default with user)	USPAT;	2003/03/23
	1	with (file-name or "filename" or "file	US-PGPUB;	17:12
		name"))	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
	-	707/3-6.ccls. and ((default) with	USPAT;	2003/03/23
_	]			1 /
	İ	(file-name or "filename" or "file name"))	US-PGPUB;	17:12
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	1
~	0	707/3-6.ccls. and ((default) with "not	USPAT;	2003/03/23
		entered")	US-PGPUB;	17:12
			EPO; JPO;	- /
			DERWENT;	
	_		IBM_TDB	
_	2	("20020023175").PN.	USPAT;	2002/09/08
			US-PGPUB;	14:04
			EPO; JPO;	1
	]		DERWENT;	
			IBM TDB	
<u>_</u>		//"20020023175"\ am /"E057102"\ am	_	2002/09/08
	٥	(("20020023175") or ("5857192") or	USPAT;	
		("5848410")).PN.	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	490081	(filename or "file name" or "file-name")	USPAT;	2002/09/08
		with (database or data-base or "data	US-PGPUB;	15:32
		base")+	EPO; JPO;	13.32
		Dase IT		
			DERWENT;	
			IBM_TDB	1
_	1046	(filename or "file name" or "file-name")	USPAT;	2002/09/08
		with (database or data-base or "data	US-PGPUB;	16:22
		base")	EPO; JPO;	1
		, '	DERWENT;	
			IBM TDB	]
_	14	(("5857192") or ("20020023175") or	USPAT;	2002/09/08
_	14	("5848410") or ("5991772") or ("6119133")		
			US-PGPUB;	16:23
		or ("5392209") or ("5317728")).PN.	EPO; JPO;	tipe.
			DERWENT;	
			IBM_TDB	]
-	2	("5857192").PN.	USPAT;	2002/09/08
			US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	1
-	1	\	USPAT;	2003/02/26
	1	with "test files"	US-PGPUB;	08:54
			EPO; JPO;	
			DERWENT;	
			IBM TDB	į
<u>_</u>	3165	(share or sharing or shared or shares)	USPAT;	2003/02/26
	2103	with files	US-PGPUB;	08:54
		with iffes		00:54
			EPO; JPO;	
			DERWENT;	ļ l
			IBM_TDB	
-	51	((share or sharing or shared or shares)	USPĀT;	2003/02/26
		with files) same (test or tests or	US-PGPUB;	08:51
		testing or tested or tester or testers)	EPO; JPO;	
		costing of tested of tester of testers)		1
			DERWENT;	]
			IBM_TDB	1 0000 100 100
-	1	(	USPAT;	2003/02/26
		with "test file"	US-PGPUB;	08:54
	}		EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	1	TD1:1_1DD	1

Search History

9/30/03 5:12:26 PM

	1	(test or tests or testing or tested or tester or testers).ab. and ((filename or "file name" or file-name or filenames or "file names" or file-names) with (servername or "server name" or server-name or server-names or "server names" or server-names)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/26 09:12
	15	(test or tests or tested or testing or tester or testers) and ((combine or combined or combining or combines or combination or combinations) with (database or data-base or "data base" or databases or data-bases or "data bases") with (filename or file-name or "file name" or filenames or file-names or "file names"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20
-	42	5129082.URPN.	USPAT	2003/03/20 09:55
-	0	707/\$.ccls. and ((combine or combined or combining or combines or combination or combinations) with (database or data-base or "data base" or databases or data-bases or "data bases") with ("test file" or "test files" or test-file or test-files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 10:15
_	0	707/\$.ccls. and ((combine or combined or combining or combines or combination or combinations) with ("test file" or "test files" or test-file or test-files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 10:15
-	10	707/\$.ccls. and ((combine or combined or combining or combines or combination or combinations) with (database or data-base or "data base" or databases or data-bases or "data bases") with (filename or file-name or "file name" or filenames or file-names or "file names"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20
_	5	707/\$.ccls. and ((search or searches or searching or searched) with ("test file" or test-file or "test files" or test-files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 10:20
_	10	<pre>((search or searches or searching or searched) with ("test file" or test-file or "test files" or test-files))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 10:21
-	1136	<pre>((search or searches or searching or searched) with (filename or filenames or file-name or file-names or "file name" or "file names"))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20
-	260	<pre>((search or searches or searching or searched) with (filename or filenames or file-name or file-names or "file name" or "file names")) and (test or tests or testing or tested or tester or testers)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 10:36
-	89	(share or shares or shared or sharing) with (test or tests or tested or testing) with (file or files)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 13:24
_	6700	(test or tests or testing or tested or tester or testers) with (database or databases or databases or "data base")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:58

-	509	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/03/20
	:	tester or testers) with (database or databases or data-base or data-bases or	US-PGPUB;	12:05
			EPO; JPO;	
		"data base" or "data bases") with (file or files)	DERWENT; IBM TDB	
_	2		USPAT;	2003/03/20
-	2	( 0,107,401 ).PN.	US-PGPUB;	12:05
]			EPO; JPO;	12.03
			DERWENT;	
			IBM TDB	
_	0	6167401.URPN.	USPAT	2003/03/20
	_			12:06
_	10	("5418888"   "5443534"   "5448727"	USPAT	2003/03/20
		"5610828"   "5714888"   "5754845"		12:06
		"5822206"   "5884315"   "5903902"		
		"5918191").PN.		
-	0	,	USPAT;	2003/03/20
		"file-searching").ti.	US-PGPUB;	12:14
			EPO; JPO;	]
			DERWENT;	
		/8621	IBM_TDB	2002/02/20
-	127	,	USPAT;	2003/03/20
		"file searching").ti.	US-PGPUB;	12:14
			EPO; JPO; DERWENT;	
			IBM TDB	
_	8	((combine or combined or combining or	USPAT;	2003/03/20
	· ·	combines or combination or combinations)	US-PGPUB;	12:33
		with (testfile or testfiles or "test	EPO; JPO;	
		file" or "test files" or test-file or	DERWENT;	
	İ	test-files))	IBM_TDB	
-	3	((concatenated or concatenate or	USPAT;	2003/03/20
		concatenates or concatenating) with	US-PGPUB;	12:35
		(testfile or testfiles or "test file" or	EPO; JPO;	
		"test files" or test-file or test-files))	DERWENT;	
	2		IBM_TDB	2002/02/20
_	2	• •	USPAT;	2003/03/20
		concatenates or concatenating) with (test	US-PGPUB; EPO; JPO;	12:40
		or tests or testing or tested or tester or testers) with (name or names or	DERWENT;	
		filename or filenames or file-name or	IBM TDB	
		file-names or "file name" or "file		
		names"))		
_	107		USPAT;	2003/03/20
	-	concatenates or concatenating or	US-PGPUB;	13:25
		concatenation or concatenations or	EPO; JPO;	
		combine or combines or combined or	DERWENT;	
		combining or combination or combinations)	IBM_TDB	
		with (test or tests or testing or tested		
		or tester or testers) with (name or names		
		or filename or filenames or file-name or		
		file-names or "file name" or "file		
	010	names")) ("MICRON ELECTRONICS" or "MEI	IICDAT.	2003/03/20
-	810	("MICRON ELECTRONICS" OF "MEI CALIFORNIA").asn.	USPAT; US-PGPUB;	2003/03/20
		CABITOMIA J. asii.	EPO; JPO;	13.22
			DERWENT;	
			IBM TDB	
_	5260	((share or shares or shared or sharing)	USPAT;	2003/03/20
ĺ		near3 (file or files))	US-PGPUB;	13:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

Compared to the content of the con
or concatenating or concatenation or concatenating or concatenating or combines or combined or combining or combination or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filenames or "file name" or "file names") with (database or "data bases" or data-bases or databases or libraries or data-bases or databases or "data base" or data-bases or databases or "data base" or data-bases or databases or "data base" or data-bases or databases or "data base" or data-bases or databases or "data base" or data-bases or library or libraries or or data-bases or library or libraries or or data-bases or library or libraries or dentifies or identifies or identifies or identify or identifies or identifies or identifications) ((filename or filename
concatenating or combine or combines or combined or combined or combining or combination or combined or combination or combined or combining or combination or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filenames or filename or filenames or filename or filenames or filenames or filenames or data bases or data
concatenations or combine or combines or combined or combining or combination or combination or combination or combinations) with (name or names or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filename or filenames") with (database or "data bases" or data-bases or library or libraries or directory or directories or location or locations)  - 958 (filename or filenames or filename or filenames") with (database or "data bases" or data-bases or library or libraries or or data-bases or library or libraries or or data-bases or library or libraries or or directory or directories or location or locations) with (id or ids or "id"s" or identifies or identifications) ((filename or filenames or "filename or filename  or "filenames" or "filenames" or data-bases or library or libraries or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id"s" or identifies or identifies or identify or identification or identifications) ((filename or filename or filename or filename) ((filename or filename) (Ibraries or directory or directories or location or locations) with (id or ids or "id"s" or identifies or identifications) ((filename or filename) (Ibraries or testers) ((filename or filename) (Ibraries or testers) ((filename or filename) (Ibraries or testers) ((filename or filename) (Ibraries or tester) (Ibraries or data-base or library or libraries or dentifications) (Ibraries or data-base or library or libraries or dentification or locations) with (id or ids or "id"s" or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier o
combined or combining or combination or combinations) with (name or names or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or data-base or databases or "data base" or data-bases or library or libraries or directory or directories or location or locations)  - 958 (file-name or file-name or file-name or file-names or "file-name or file-name or file-names or "file-name or data-base or database or "data base" or data-base or database or "data base" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifications) ((file-name or file-name or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifier or identifications) ane (test or tests or testing or tested or tester or testers)  - 18 ((file-name or file-name or file-name or file-name or file-name or file-name or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or database or "data base" or data-base or da
combinations) with (name or names or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or file-name or data base" or data-base or databases or libraries or data-base or directory or directories or location or locations)  - 958 (file-name or file-name or file-name or file-names or "file-names or "file-name or file-name or data-base or databases or library or libraries or data-bases or library or libraries or dentifier or identifiers or identify or identifies or identifies or identify or data-bases or library or data-base or databases or "data base" or data-base or databases or "data base" or data-base or library or libraries or directory or directories or location or locations) with (database or "data base" or data-base or library or libraries or directory or directories or location or locations) with (database or "data base" or data-base or databases or library o
filename or filename or "file name" or "file names")  (filename or filename or "file name" or "file names")  (filename or filename or "file name" or "file names") with (database or "data base" or data-bases or library or libraries or directory or directories or location or locations)  (filename or filenames or filename or filenames or "filename or filename or filename or filename or data-bases or databases or "data base" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifies or identifiers or identifying or identifies or identifying or identifications) and (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or filename or file names) with (database or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifies or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identifier or identify or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identif
file-names or "file name" or "file names"))  (filename or filename or file-name or file-names"))  (filename or filename or "file name" or "file names") with (database or "data bases" or data-bases or library or libraries or directory or directories or location or locations)  (filename or filename or file-name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifies or identifies or identifying or identifier or identified or identifying or identifier or identified or identifying or identifier or identified or identify or identifier or identifier or "data bases" or data-base or library or libraries or directory or directory or directories or location or locations) with (id or ids or "id's" or identifier or i
names")
4651  (filename or filename or file name or file names) with (database or "data bases" or data-base or databases or library or libraries or directory or directories or location or locations)  (filename or filename or filename or filenames) with (database or "data bases" or data-base or library or libraries or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identification or identifying or identification or identifications)  ((filename or filenames or filename or filenames or "file names") with (database or "data bases" or data-base or library or libraries or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifier or identifications) ((filename or filenames or "data bases" or data-base or databases or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifier or identifications)) ane (test or tests or testing or tested or tester or testers)  - 18  18  18  19  19  19  2003/03/20  15:21  2003/03/20  15:22  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:23  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25  2003/03/20  15:25
file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or directory or directories or location or locations)  958 (filename or filenames or file name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identifier or identifications)  ((filename or filenames or file-name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identifier or identifications))  ane (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-name or file-names or "file name" or "file name" or "file names") with (id or ids or "id's" or identifier or identifications))  ane (test or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-name or file-names or "file name" or "file name" or "file names") with (id or ids or "id's" or identifier or identifier or identifications)  ane (test or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-names or "file names") with (id or ids or "id's" or identifier or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifier or identifying or identifier or identifie
names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations)  - 958 (filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or "data base" or data-base or directories or location or locations) with (id or idso or "id's" or identifies or identifiers or identify or identifies or identifiers or identify or data-base or file-name or file-name or file-names") with (database or "data base" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or idso or "id's" or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifiers or identifying or identification or identifier or identifiers or identifying or identification or location or location or file-name or file-name or file-name or file-name or file-name or identifier or identifiers or identifying or identification or identifiers or identifying or identification or identifiers or identifying or identification or identifiers or identifiers or identifiers or identifiers or identifier or identifiers or identifier or identifiers or identifier or identifiers or identifier or identifiers or identifier
data-base or databases or "data bases" or dara-bases or library or libraries or directory or directories or location or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-bases or databases or "data bases" or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifications) ((filename or filenames or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or "file name or file-name or file-names or "file names") with (database or "data bases" or data-bases or databases or
data-bases or library or libraries or directory or directories or location or locations)  (filename or filenames or file-name or file-names") with (database or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifies or identification or lacations) with (id or ids or "id's" or identifies or identifications)  (filename or filenames or filename or filenames or "filenames") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or filename or filenames") with (database or "data bases" or databases or identifier or identifications))  ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or filename or filenames") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-bases or library or libraries or dentifier or identifier
directory or directories or location or locations)  (filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifications)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identified or identify or identifier or identified or identify or identifier or identified or identify or identifier or identifications)  ane (test or tests or testing or tested or tester or testers)  (filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or dester or testers)  (filename or filenames or file-name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifies or identifiers or identify or identifies or identifier or identifiers or identify or identifies or identifier or identifier or identify or identifies or identifier or identify or identifies or identifier or identifier or identify or identifies or identifier or identifier or identify or identifies or identifier or identifier or identify or identifies or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier or identifier
Jocations   (filename or filename or "file name" or "file names") with (database or "data bases" or data-base or directory or directories or location or locations) with (id or ids or "id's" or identifies or identified or identifying or identifies or identified or identifying or identifies or identified or identifying or identifier or identified or identifying or identabase or "filename or filenames") with (database or "data bases" or data-base or databases or "data bases" or data-bases or library or libraries or or identifier or identifiers or identifying or identifies or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  - 18 ((filename or filenames or filename
1303494 (filename or filenames or filename or filenames or "file name" or "file name" or "file name" or "file name" or "file name" or data-base or databases or "data bases" or data-base or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identifies or identifications) (filename or filenames or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or dientifier or identifiers or identifying or identifiers or identifying or identifies or identifications) ane (test or tests or testing or tested or tester or testers) ((filename or filename or file-name or file-names or "file name" or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or or data-base or location or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifier or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identifiers or identify or identify or identifiers or identifiers or identify or identifiers o
file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identification or identifications)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identified or identify or identifies or identified or identify or identifies or identified or identify or identifies or identified or identify or data-base or fatabases or "file names") with (database or "file names") with (database or "file names" or "file names" or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or data-base or library or libraries or data-base or lidentifier or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identified or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or ide
names") with (database or "data base" or data-base or databases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifies or identifies or identifying or identification or identifications)  - 1303494 (ifilename or filename or filename or file-name or file-name or filenames or "file name") with (database or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifies or identifies or identifying or identification or identifying or identification or identifying or identification or identifying or identification or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  - 18 ((filename or filenames or file-name or file-name or file-name or file-name or data-base or databases or "data bases" or data-base or library or libraries or data-base or databases or "data bases" or data-base or library or libraries or or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identifier or identify or identifier or i
data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)  ((filename or filenames or file-name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or dientifier or identifiers or identify or identifier or identifiers or identifying or identification or identifying or identification or identifying or identification or identifying or identification or identifying or identification or identifying or identification or "file names") with (database or "data base" or data-base or databases or "data base" or data-base or database or "data base" or data-base or library or libraries or data-base or library or libraries or or data-base or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identifier or identifier or identify or identifier or identifier or identify or identifier or ide
data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identification or identifications)  ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifying or identification or identifying or identifier or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifiers or identifier or identifiers or identify or identifiers or identifiers or identifying or identification or identifications))
directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)  1303494 (filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-name or file-name or file-name or mess") with (database or "data base" or data-base or databases or "data base" or data-base or library or libraries or data-base or library or libraries or databases or "data bases" or data-base or library or libraries or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifiers or identifying or identifier or identifications))
locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identifying or identification or identifications)  1303494 ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data base" or directory or directories or location or locations) with (id or ids or "id's" or identifier or identified or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or library or libraries or or data-base or library or libraries or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications))
identifier or identifiers or identify or identifies or identifications) or identification or identifications)  ((filename or filenames or file-name or file-names) with (database or "data bases" or data-bases or databases or "data bases" or identifier or identifiers or identify or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications) anne (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-bases or library or libraries or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifiers or identify or identifier or identifier or identifying or identification or identifications))
identifies or identified or identifying or identification or identifications)  ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or "data bases" or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))  ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifier or identifier or identify or identifier or identifier or identify or identifier or identified or identifying or identification or identified or identifying or identification or identifications))
or identification or identifications) ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-bases or library or libraries or identifier or identifications) ane (test or tests or testing or tested or tester or tester or tester or data-base or databases or "data base" or identification or identifications) ane (test or tests or testing or tested or file-names or "file names") with (database or "data bases" or data-base or databases or "data bases" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify ing or identifier or identifiers or identifying or identification or identifications))  or identification or identifications))
1303494 ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-base or databases or "data bases" or directory or directories or location or locations) with (id or ids or "id's" or identifies or identifier or identifiers or identifying or identification or identifying or tester or testers)  18 ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data bases" or data-bases or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identifiers or identifying or identification or identifying or identification or identifying or identification or identifying or identification or identifications))
file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers) ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifying or identification or identifications))
names") with (database or "data base" or data-base or databases or "data bases" or data-base or dibrary or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))  EPPO; JPO; DERWENT; IBM_TDB  2003/03/20 15:25 EPO; JPO; DERWENT; IBM_TDB
data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identification or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identifications) ane (test or tests or testing or tested or tester or testers)  18 ((filename or filenames or file-name or file-names or "file name" or "file name") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identified or identifying or identification or identifications))
directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  - 18 ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identified or identifying or identification or identifications))
locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-base or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
identifies or identified or identifying or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
or identification or identifications)) ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
ane (test or tests or testing or tested or tester or testers)  ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
or tester or testers) ((filename or filenames or file-name or file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
- 18 ((filename or filenames or file-name or file-names or "file name" or "file name") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
file-names or "file name" or "file names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identifying or identification or identifications))
names") with (database or "data base" or data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identification or identifications))
data-base or databases or "data bases" or data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identification or identifications))
data-bases or library or libraries or directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications))
directory or directories or location or locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications))
locations) with (id or ids or "id's" or identifier or identifiers or identify or identifies or identified or identifying or identification or identifications))
<pre>identifier or identifiers or identify or identifies or identified or identifying or identification or identifications))</pre>
identifies or identified or identifying or identification or identifications))
or identification or identifications))
or tester or testers)
- 10 ((filename or filenames or file-name or USPAT; 2003/03/20
file-names or "file name" or "file US-PGPUB; 15:25
names") with (database or "data base" or EPO; JPO;
data-base or databases or "data bases" or DERWENT;
data-bases or library or libraries or IBM TDB
directory or directories or location or
locations) with (id or ids or "id's" or
identifier or identifiers or identify or
identifies or identified or identifying
or identification or identifications))
with (test or tests or testing or tested
or tester or testers)

-	272	· · ·	USPAT;	2003/03/20
		file-names or "file name" or "file	US-PGPUB;	16:42
		names") with (database or "data base" or	EPO; JPO;	
		data-base or databases or "data bases" or data-bases or library or libraries or	DERWENT;	
		directory or directories or location or	IBM_TDB	
	1	locations) with (id or ids or "id's" or		
		identifier or identifiers or identify or		
		identifies or identified or identifying		
		or identification or identifications))		
		and (test or tests or testing or tested		
	_	or tester or testers)		
_	2	("6134674").PN.	USPAT;	2003/03/20
			US-PGPUB; EPO; JPO;	16:44
			DERWENT;	
	}		IBM TDB	
_	2	("5879165").PN.	USPAT;	2003/03/20
			US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT;	
	2	/"E910020"\ DM	IBM_TDB USPAT;	2003/03/20
_		("5819030").PN.	USPAT;	16:47
			EPO; JPO;	10.47
			DERWENT;	
			IBM_TDB	
-	1186	707/200.ccls.	USPAT;	2003/03/21
			US-PGPUB;	17:16
			EPO; JPO;	
			DERWENT; IBM TDB	
_	3538	707/200-206.ccls.	USPAT;	2003/03/21
		707,200 20010025	US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
	1	/#aaaaaaaaaaaa	IBM_TDB	
-	2	("20020107653").PN.	USPAT;	2003/03/23
			US-PGPUB; EPO; JPO;	17:00
			DERWENT;	
			IBM TDB	
_	744	707/201.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:11
	1		EPO; JPO;	
	1		DERWENT; IBM TDB	
_	570	707/202.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:11
			EPO; JPO;	
			DERWENT;	
	700	707/203.ccls.	IBM_TDB	2003/03/23
_	782	/0//203.CCIS.	USPAT; US-PGPUB;	17:11
			EPO; JPO;	1 - / • - 1 -
			DERWENT;	
			IBM_TDB	
_	606	707/204.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:11
			EPO; JPO;	
			DERWENT;	
	531	707/205.ccls.	IBM_TDB USPAT;	2003/03/23
_	331	101/203.0013.	US-PGPUB;	17:11
			EPO; JPO;	
ı	I		DERWENT;	

Search History 9/30/03 5:12:26 PM

Page 13

_	332	707/206.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	707/3-6.ccls. and ((default) with "not	USPAT;	2003/03/23
		entered")	US-PGPUB;	17:12
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	122	702/119.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	103	702/120.ccls.	USPAT;	2003/03/23
	ĺ		US-PGPUB;	17:22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	126	702/122.ccls.	USPAT;	2003/03/23
			US-PGPUB;	17:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(("6338068") or ("6243859")).PN.	USPAT;	2003/03/23
			US-PGPUB;	17:29
			EPO; JPO;	
	1		DERWENT;	
_	123	702/123.ccls.	<pre>IBM_TDB USPAT;</pre>	2003/03/23
_	123	702/123.0015.	US-PGPUB;	17:36
			EPO; JPO;	17.30
			DERWENT;	
			IBM TDB	
_	23	707/3-6.ccls. and ((default with user)	USPAT;	2003/03/23
		same (prompt or prompts or prompted or	US-PGPUB;	17:36
		prompting))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	707/3-6.ccls. and ((default with user)	USPAT;	2003/03/23
		with (file-name or "filename" or "file	US-PGPUB;	17:36
i		name"))	EPO; JPO;	15
			DERWENT;	
			IBM_TDB	
-	7	707/3-6.ccls. and ((default) with	USPAT;	2003/03/23
		(file-name or "filename" or "file name"))	US-PGPUB;	17:36
			EPO; JPO;	
	1		DERWENT;	
		//#G000405#\\ /#G445000#\\\ ===	IBM_TDB	0000 (00 (04
-	4	(("6393435") or ("6415280")).PN.	USPAT;	2003/03/24
			US-PGPUB;	06:52
			EPO; JPO;	
	]		DERWENT;	
1_	E 2	((database or databases or data-base or	IBM_TDB	2003/00/20
-	53	((database or databases or data-base or   data-bases or "data base" or "data	USPAT; US-PGPUB;	2003/09/20 18:32
		bases") with (test or tests or testing or	EPO; JPO;	10.32
		tester or tested or testers)) and	DERWENT;	
		((database or databases or data-base or	IBM TDB	
		data-bases or "data base" or "data	1011-100	
		bases") with (filename or filenames or		
		file-name or file-names or "file name" or		
		"file names"))		
<u> </u>	·	<u> </u>		

	r		T	
-	462	data-bases or "data base" or "data bases") with (test or tests or testing or tester or tested or testers)) and ((database or databases or data-base or data-bases or "data base" or "data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:04
		bases") with (filename or filenames or file-name or file-names or "file name" or "file names" or strings or string))		
	409	(((database or databases or data-base or data-bases or "data base" or "data bases") with (test or tests or testing or tester or tested or testers)) and ((database or databases or data-base or data-bases or "data bases") with (filename or filenames or file-name or file-names or "file name" or "file names" or strings or string))) not (((database or databases or data-base or data-bases or "data bases") with (test or tests or testing or tester or tested or testers)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:00
		((database or databases or data-base or data-bases or "data base" or "data bases") with (filename or filenames or file-name or file name" or "file names")))		
_	78	((database or databases or data-base or data-bases or "data base" or "data bases") with (test or tests or testing or tester or tested or testers) with (string or strings))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 15:57
_	2	("5,857,197").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:57
_	31	"first test system" and "second test system"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:20
-	2	("first test system" and "second test system") and ("file name" or file-name or filename or "file names" or file-names or filenames)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:28
-	1	("two test systems" or "plurality of test systems") and ("file name" or file-name or filename or "file names" or file-names or filenames)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:23
-	4	("two test systems" or (plurality with ("test systems"))) and ("file name" or file-name or filename or "file names" or file-names or filenames)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:26
-	241	<pre>((user or users or operator or operators) with ("first value")) and ((user or users or operator or operators) with ("second value"))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:27
_	0	<pre>((user or users or operator or operators) with ("first value")) and ((user or users or operator or operators) with ("second value")) and (("file name" or file-name or filename or "file names" or file-names or filenames) with "first value" with "second value")</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:28

	0	((user or users or operator or operators) with ("first parameter")) and ((user or users or operator or operators) with ("second parameter")) and (("file name" or file-name or filename or "file names" or file-names or filenames) with "first parameter" with "second parameters")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:27
_	11	((user or users or operator or operators) with ("first value")) and ((user or users or operator or operators) with ("second value")) and ("file name" or file-name or filename or "file names" or file-names or filenames)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:28
_	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:54
_	1	((database or databases or data-base or data-bases or "data base" or "data bases") with (test or tests or testing or tester or tested or testers)) and ((database or databases or data-base or data-bases or "data bases") with ("test file" or "test files" or testfile or testfiles or test-files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:54
_	1249	"file sharing"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:34
	. 41	<pre>((file or files) with (share or shares or shared or sharing)) and ("test file" or "test files")</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:35
_	2	<pre>(share or shares or shared or sharing) with ("test file" or "test files" or testfile or testfiles or test-file or test-files)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 18:36
_	10	<pre>(combine or combines or combined or combining or combination or combinations) with ("test file" or "test files" or testfile or testfiles or test-file or test-files)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:54
-	536	(combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations) with ("file name" or file-name or filename or "file names" or file-names or filenames)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 19:14
	11	(combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations) with ("test file" or "test files" or testfile or testfiles)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 18:56

				T
_	14	((combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations) with ("file name" or file-name or filename or "file names" or file-names or filenames)) same (test or tests or testing or tested or tester or testers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20
-	13	5713009.URPN.	USPAT	2003/09/20 19:08
	0	"test file retrieval"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20
-	16	<pre>(retrieve or retrieves or retrieving or retrieved) with ("test file" or "test files")</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 19:10
_	7	((combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations) with ("file name" or file-name or filename or "file names" or file-names or filenames)) and (test or tests or testing or tested or tester or testers).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 14:36
	186	((combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations) with ("file name" or file-name or filename or "file names" or file-names or filenames)) and (test or tests or testing or tested or tester or testers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 19:23
_	658	((file or files) and (Share or shares or sharing or shared)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/20 19:23 &
-	22	((file or files) and (Share or shares or sharing or shared)).ti. and (test or tests or testing or tester or testers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 19:33
_	61	(user or users or operator or operators or engineer or engineers) with (input or inputs or inputting or inputted or enter or enters or entered or entering) with (directory or directories) with (string or strings)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 10:22
	26	((file or files) and (Share or shares or sharing or shared)).ti. and (test or tests or tester or testers or tested)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 19:45
_	4	<pre>(((file or files) and (Share or shares or sharing or shared)).ti. and (test or tests or testing or tester or testers or tested)) not (((file or files) and (Share or shares or sharing or shared)).ti. and (test or tests or testing or tester or testers))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/20 19:33

			···	T
-	141	702/119.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:45
			EPO; JPO;	
			DERWENT;	
r	100	700/100	IBM_TDB	2002/00/00
_	128	702/120.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:45
			EPO; JPO;	
			DERWENT;	
	450		IBM_TDB	0000 (00 (00
_	150	702/122.ccls.	USPAT;	2003/09/20
1			US-PGPUB;	19:45
			EPO; JPO;	
			DERWENT;	
_	127	702/122 0010	IBM_TDB	2003/00/20
_	137	702/123.ccls.	USPAT;	2003/09/20
			US-PGPUB; EPO; JPO;	19:45
			DERWENT;	
			IBM TDB	
_	825	707/201.ccls.	USPAT;	2003/09/20
-	023	7077201.0013.	US-PGPUB;	19:45
			EPO; JPO;	13.33
			DERWENT;	
	1		IBM TDB	ł l
l _	616	707/202.ccls.	USPAT;	2003/09/20
		7077202.0013.	US-PGPUB;	19:45
			EPO; JPO;	13.10
			DERWENT;	
			IBM TDB	ĺ
_	883	707/203.ccls.	USPAT;	2003/09/20
		10772001001251	US-PGPUB;	19:46
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
_	711	707/204.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3043	707/3.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1321	707/4.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
			EPO; JPO;	Į į
			DERWENT;	
	. —		IBM_TDB	/
-	1195	707/5.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
			EPO; JPO;	
			DERWENT;	
	1010	707/61-	IBM_TDB	2002/00/20
-	1013	707/6.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
	1		EPO; JPO;	
			DERWENT;	
	E01	707/205 0010	IBM_TDB	2003/00/20
-	581	707/205.ccls.	USPAT;	2003/09/20
			US-PGPUB;	19:46
			EPO; JPO;	
			DERWENT;	
_	368	707/206.ccls.	IBM_TDB USPAT;	2003/09/20
-	368	101/200.0015.	US-PGPUB;	19:46
			EPO; JPO;	19.40
			DERWENT;	
			IBM TDB	
L	<u> </u>		םתו דוחם	L

<b>–</b>	1040	(702/119.ccls. 702/120.ccls.	USPAT;	2003/09/20
		702/122.ccls. 702/123.ccls. 707/201.ccls.	US-PGPUB;	19:47
		707/202.ccls. 707/203.ccls. 707/204.ccls.	EPO; JPO;	
		707/3.ccls. 707/4.ccls. 707/5.ccls.	DERWENT;	
		707/6.ccls. 707/205.ccls. 707/206.ccls.)	IBM TDB	
			1011_100	
		and @pd>=20030320		0000/00/00
_	0	((702/119.ccls. 702/120.ccls.	USPAT;	2003/09/20
		702/122.ccls. 702/123.ccls. 707/201.ccls.	US-PGPUB;	19:50
		707/202.ccls. 707/203.ccls. 707/204.ccls.	EPO; JPO;	ļ .
		707/3.ccls. 707/4.ccls. 707/5.ccls.	DERWENT;	ł l
		707/6.ccls. 707/205.ccls. 707/206.ccls.)	IBM TDB	
		and @pd>=20030320) and ((database or		
		databases or data-base or data-bases or		
ŀ				
		"data base" or "data bases") with (test		1
		or tests or testing or tester or tested		}
		or testers)) and ((database or databases		1
		or data-base or data-bases or "data base"		
-		or "data bases") with (filename or		i l
		filenames or file-name or file-names or		
		"file name" or "file names"))		
	_		TICDAM:	2002/00/20
-	8	((702/119.ccls. 702/120.ccls.	USPAT;	2003/09/20
		702/122.ccls. 702/123.ccls. 707/201.ccls.	US-PGPUB;	19:48
		707/202.ccls. 707/203.ccls. 707/204.ccls.	EPO; JPO;	
		707/3.ccls. 707/4.ccls. 707/5.ccls.	DERWENT;	
		707/6.ccls. 707/205.ccls. 707/206.ccls.)	IBM TDB	
		and @pd>=20030320) and ((database or		
		databases or data-base or data-bases or		
		"data base" or "data bases") with (test		
		or tests or testing or tester or tested	1	
		or testers)) and ((database or databases		
		or data-base or data-bases or "data base"		
		or "data bases") with (string or		
		strings))		
-	22	((database or databases or data-base or	USPAT;	2003/09/20
		data-bases or "data base" or "data	US-PGPUB;	19:51
		bases") with (evaluate or evaluates or	EPO; JPO;	
		evaluating or evaluated or evaluation or	DERWENT;	
		evaluations)) and ((database or databases	IBM_TDB	
		or data-base or data-bases or "data base"		
		or "data bases") with (filename or		
		filenames or file-name or file-names or		
		"file name" or "file names"))		
-	1045	(filename or filenames or file-name or	USPAT;	2003/09/22
		file-names or "file name" or "file	US-PGPUB;	10:02
	l	names") same (test or tests or testing or	EPO; JPO;	
	1		DERWENT;	
	1	tested or tester or testers)		
	1	/5/1 5/2	IBM_TDB	2002/02/22
-	100	(filename or filenames or file-name or	USPAT;	2003/09/22
		file-names or "file name" or "file	US-PGPUB;	10:52
		names") same (test or tests or testing or	EPO; JPO;	
	1	tested or tester or testers) same	DERWENT;	
		(database or databases or data-base or	IBM TDB	1
		data-bases or "data base" or "data		
		bases")		
	11550		IICDAM:	2003/00/22
-	11553	, ,	USPAT;	2003/09/22
		with (configuration or configurations or	US-PGPUB;	10:06
	1	configure or configuring or configured or	EPO; JPO;	
		configures)	DERWENT;	ļ l
		<u>-</u>	IBM TDB	
_	541	(share or sharing or shared or shares)	USPAT;	2003/09/22
		with (configuration or configurations or	US-PGPUB;	10:08
	1		i e	10.00
		configure or configuring or configured or	EPO; JPO;	ļ
		configures) with (file or files)	DERWENT;	
	1		IBM_TDB	
-	107	(share or sharing or shared or shares)	USPAT;	2003/09/22
		near2 (configuration or configurations or	US-PGPUB;	10:09
		configure or configuring or configured or	EPO; JPO;	
	1	configures) near2 (file or files)	DERWENT;	
	1		IBM TDB	
L	L	I		l ,

_	22	<pre>(share or sharing or shared or shares) adj2 (configuration or configurations or configure or configuring or configured or configures) adj2 (file or files)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22
_	88	(user or users or operator or operators or engineer or engineers) with (input or inputs or inputting or inputted or enter or enters or entered or entering) with (directory or directories) with (filename or filenames or file-name or file name" or "file names")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 10:44
-	0	("6625598").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 10:44
_	4	(filename or filenames or file-name or file-names or "file name" or "file names") with first with second with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or joins or joined or joining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 10:55
-	18	(filename or filenames or file-name or file-names or "file name" or "file names" or "data file" or datafile or data-file or "data files" or datafiles or data-files or "test file" or testfile or test-file or "test files" or testfiles or test-files) with first with second with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combines or combined or combining or combination or concatenate or concatenates concatenation or concatenation or joins or joined	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 11:01
-	0	or joining) 20020107653.URPN.	USPAT	2003/09/22
-	1183	"common file" or "common files"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	11:00 2003/09/22 11:01
-	217	("common file" or "common files") with (access or accessing or accessed or accesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22
	39	((file or files) near3 (data or test or name or names or tests)) with first with second with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations or join or joins or joined or joining or unite or unites or uniting or united or merge or merges or merged or merging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22

-	132	((file or files)or (filename or filenames	USPAT;	2003/09/22
		or file-name or file-names or "file name"	US-PGPUB;	12:20
		or "file names" or "data file" or	EPO; JPO;	
		datafile or data-file or "data files" or	DERWENT;	
	İ	datafiles or data-files or "test file" or	IBM_TDB	
		testfile or test-file or "test files" or	_	
		testfiles or test-files)) with first		
		with second with (parameter or parameters		
		or value or values or string or stings or		
		input or inputs) with (combine or		
		combines or combined or combining or		
		combination or combinations or		
	1	concatenate or concatenates concatenating		·
		or concatenated or concatenation or		·
		concatenations or join or joins or joined		
		or joining or unite or unites or uniting		†
		or united or merge or merges or merged or		
		merging)		
-	193	((file or files) or (filename or filenames	USPAT;	2003/09/22
		or file-name or file-names or "file name"	US-PGPUB;	12:57
		or "file names" or "data file" or	EPO; JPO;	
		datafile or data-file or "data files" or	DERWENT;	
		datafiles or data-files or "test file" or	IBM_TDB	
		testfile or test-file or "test files" or	_	
		testfiles or test-files)) same (first		
		with second with (parameter or parameters		İ
		or value or values or string or stings or		
		input or inputs) with (combine or		
		combines or combined or combining or		
		combination or combinations or		
		concatenate or concatenates concatenating		
		or concatenated or concatenation or		
		concatenations or join or joins or joined		
		or joining or unite or unites or uniting		
		or united or merge or merges or merged or		
		merging))		

	61	///file or files/or /filename or	IISDAT.	2003/09/22
	61	(((file or files) or (filename or filenames or filenames or filenames or filenames or "file name" or "file name" or "data file" or datafile or data-file or "data files" or datafiles or data-files or "test file" or testfile or test-file or "test files" or testfiles or test-files)) same (first with second with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combination or combination or combining or combination or combination or concatenate or concatenates concatenating or concatenated or concatenation or join or joins or joined or joining or unite or unites or uniting or united or merge or merges or merged or merging))) not (((file or files) or (filename or file-names or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22
		"file name" or "file names" or "data file" or datafile or data-file or "data files" or datafiles or data-files or "test file" or testfile or test-file or "test files" or testfiles or test-files)) with first with second with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or join or joins or joined or joining or unite or		
	556	or file-name or file-names or "file name" or "file names" or "data file" or datafile or data-file or "data files" or datafiles or data-files or "test file" or testfile or test-file or "test files" or testfiles or test-files)) same ((two or three or plurality or plural) with (parameter or parameters or value or values or string or stings or input or inputs) with (combine or combines or combined or combining or combination or combinations or concatenate or concatenates concatenating or concatenated or concatenation or concatenations or join or joins or joined or joining or unite or unites or uniting or united or merge or merges or merged or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 13:21
_	9	merging)) "common parameter" with database	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/22 13:21
_	8	test with "database name".	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 13:39
_	22	winrunner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 14:21

			T	10000 /00 /00
-	21429	winrunner (filename or filenames or file-name or file-names or "file name" or "file names")	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/22
			IBM TDB	
-	7	winrunner and (filename or filenames or file-name or file-names or "file name" or "file names")	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/22 14:21
_	3	"development database" same "test database"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/22 14:34
_	800	(select or selecting or selects or selected or selection or selections) with (database or databases or data-base or data-bases or "data bases") with (test or tests or testing or tester or tested or testers)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 14:35
_	2	((select or selecting or selects or selected or selection or selections) with (database or databases or data-base or data-bases or "data bases") with (test or tests or testing or tester or tested or testers)) same (filename or filenames or "file name" or "file names")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:05
_	22	names") ("database testing" or "testing database" or "testing databases") same (network or networks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 15:14
_	9	("5634051"   "5694559"   "5749079"   "5907837"   "5983218"   "6061678"   "6070160"   "6094649"   "6169992").PN.	USPAT	2003/09/22 15:09
-	19		USPAT	2003/09/22 15:09
-	0	6269364.URPN.	USPAT	2003/09/22 15:09
-	2	("5881378").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 15:25
-	2	("5784553").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 15:26
_	2	(kraffert and mark).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 15:41
_	2	("5664173").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/22 15:41
	1964	707/\$.ccls. and @pd>=20030501	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:29

	1 1 1 1	707/200.ccls. and @pd>=20030501	HCDAT.	2003/09/23
-	144	7077200.0015. and epd>=20030501	USPAT; US-PGPUB;	10:30
			EPO; JPO;	10.30
			DERWENT;	
			IBM TDB	
_	144	707/200.ccls. and @pd>=20030501	USPAT;	2003/09/23
_	144	707/200.ccis. and epd>=20030301	US-PGPUB;	10:30
			EPO; JPO;	10.30
			DERWENT;	
	67	707/200.ccls. and @pd>=20030501	IBM_TDB USPAT	2003/09/23
-	0'	707/200.0018. and epd>=20030301	USPAI	10:30
	0	"filename=(string,database)"	USPAT;	2003/09/23
-		Tilename-(String, database)	US-PGPUB;	16:55
			EPO; JPO;	10.55
			DERWENT;	
1			IBM TDB	
1_	0	"name=(string,database)"	USPAT;	2003/09/23
		name-(String, database)	US-PGPUB;	16:55
			EPO; JPO;	10.00
			DERWENT;	
			IBM TDB	
_	0	"string=(string, database)"	USPAT;	2003/09/23
		Soling (Soling) addubase,	US-PGPUB;	16:55
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	"file=(string,database)"	USPAT;	2003/09/23
			US-PGPUB;	17:17
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	209	file with string with database	USPAT;	2003/09/23
			US-PGPUB;	16:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	l i
_	6	filename with string with database	USPAT;	2003/09/23
			US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	- nein
-	101		USPAT;	2003/09/23
		tables) with (name or naming or file or	US-PGPUB;	16:59
		files or filename or filenames or "file	EPO; JPO;	
		name")) with (test or testing or tested	DERWENT;	
	_	or tests) with (code or codes)	IBM TDB	2003/09/23
-	0	"file= (string, database)"	USPAT; US-PGPUB;	2003/09/23 17:17
			EPO; JPO;	1 / · 1 /
			DERWENT;	
			IBM TDB	
_	0	"file = (string,database)"	USPAT;	2003/09/23
	1	Tite - (String, database)	US-PGPUB;	17:17
	]		EPO; JPO;	-,
	1		DERWENT;	
			IBM TDB	
_	0	"file= (string,dm)"	USPAT;	2003/09/23
			US-PGPUB;	17:17
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	"file= (string,db)"	USPAT;	2003/09/23
			US-PGPUB;	17:17
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	

-	2140	(database or data-base or "data base" or databases or data-bases or "data bases") near2 (test or tests or testing or tested or tester or testers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23
-	17	databases or data-bases or "data bases") near2 (test or tests or testing or tested or tester or testers)) and ((database or data-base or "data base" or databases or data-bases or "data bases") with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:21
-	15	databases or data-bases or "data bases") near2 (test or tests or testing or tested or tester or testers)) and ((database or data-base or "data base" or databases or data-bases or "data bases") with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:21
_	20		USPAT;	2003/09/23
		databases or data-bases or "data bases") near2 (test or tests or testing or tested or tester or testers)) and ((database or data-base or "data base" or databases or data-bases or "data bases") with (filename or file-name or "file name" or filenames or file-names or "file names" or filenaming or file-naming or "file naming" or filenamed or file-named or "file named" or datafile or datafiles or data-file or data-files or "data files" or testfile or testfiles or test-file or test-files or "test files"))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	17:46
-	2	("5280251").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 17:46
-	2158	(test or tests or testing or tested or tester or testers) near2 (database or data-base or "data base" or databases or data-bases or "data bases")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30
-	94	((test or tests or testing or tested or tester or testers) near2 (database or data-base or "data base" or databases or data-bases or "data bases")) and "test systems"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 13:08
-	16	(database or data-base or "data base" or databases or data-bases or "data bases") same ((search or searches or searching or searched) with ("configuration file" or "configuration files"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 13:09
-	111	(database or data-base or "data base" or databases or data-bases or "data bases") and ((search or searches or searching or searched) with ("configuration file" or "configuration files"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 13:14

_	124	(US-6308171-\$ or US-6308188-\$ or	USPAT;	2003/09/30	
		US-6421674-\$ or US-6393435-\$ or	US-PGPUB;	14:11	
	İ	US-6070164-\$ or US-5983220-\$ or	JPO;		]
		US-6370547-\$ or US-5680618-\$ or	DERWENT		İ
		US-5394546-\$ or US-5325522-\$ or			
		US-6325283-\$ or US-5765155-\$ or			
		US-5873088-\$ or US-5379424-\$ or			
		US-5220625-\$ or US-6157940-\$ or	1		1
		US-6292802-\$ or US-6055538-\$ or			
	ļ	US-6438491-\$ or US-6415307-\$ or	,		
		US-6363358-\$ or US-6287123-\$ or			
		US-5897607-\$ or US-5726702-\$ or			
		US-5161102-\$ or US-5848410-\$).did. or			
		(US-6189116-\$ or US-5953684-\$ or			Í
		US-6496833-\$ or US-6243835-\$ or			
		US-6031990-\$ or US-6219829-\$ or			
		US-6324534-\$ or US-6408306-\$ or			
		US-6415280-\$ or US-6374268-\$ or			
		US-6405351-\$ or US-6463431-\$ or			
		US-6219668-\$ or US-6169992-\$ or	]		
		US-5734874-\$ or US-5113519-\$ or			
		US-6205446-\$ or US-6493709-\$ or			
		US-5630114-\$ or US-5664086-\$ or			
		US-5675672-\$ or US-4882703-\$ or			
		US-6275822-\$ or US-6144940-\$ or   US-6119133-\$ or US-6094654-\$ or			
		US-6094649-\$).did. or (US-6041324-\$ or			
		US-5991772-\$ or US-5937096-\$ or			
		US-5896530-\$ or US-5832471-\$ or			
		US-5758061-\$ or US-5794226-\$ or			
		US-5634124-\$ or US-5778385-\$ or			
		US-5745888-\$ or US-5724503-\$ or			
		US-5603020-\$ or US-5517892-\$ or			
		US-6279157-\$ or US-5369778-\$ or			
		US-5421012-\$ or US-5369484-\$ or			
		US-5247683-\$ or US-5202982-\$ or			
		US-5129082-\$ or US-6167401-\$ or			
		US-5857192-\$ or US-6421071-\$ or			
		US-6138112-\$ or US-5317728-\$ or			
		US-5392209-\$ or US-5937406-\$).did. or			
		(US-5421015-\$ or US-6311301-\$ or			1
		US-6313652-\$ or US-6338068-\$ or			1
İ		US-6219777-\$ or US-5799266-\$ or		erag).	int es de
		US-5877961-\$ or US-5745389-\$ or			
		US-5757680-\$ or US-5021997-\$ or			
		US-6385664-\$ or US-5822565-\$ or US-5388257-\$ or US-6405149-\$ or			1
		US-6332211-\$ or US-6356859-\$ or			
		US-6205407-\$ or US-6453325-\$ or			
		US-5717911-\$ or US-6591272-\$ or			1
		US-5030117-\$ or US-6622271-\$ or			1
		US-6581052-\$ or US-6513047-\$).did. or			1
		(US-20010047373-\$ or US-20020042795-\$ or			
		US-20020065879-\$ or US-20020023158-\$ or			
		US-20020138501-\$ or US-20020083120-\$ or			1
		US-20020112008-\$ or US-20020064149-\$ or			1
		US-20020078069-\$ or US-20020052884-\$ or			
		US-20020026521-\$ or US-20010018697-\$ or			1
		US-20020023175-\$ or US-20020033762-\$ or			
		US-20020107653-\$ or			1
		US-20020032538-\$).did. or			1
		(JP-11224215-\$).did. or (BR-8902762-\$ or			1
	ĺ	EP-67290-\$ or US-5666525-\$) did.	I		1

				1 0 0 0 0 10 0 15 5
-	1	((US-6308171-\$ or US-6308188-\$ or	USPAT;	2003/09/30
		US-6421674-\$ or US-6393435-\$ or	US-PGPUB;	14:11
		US-6070164-\$ or US-5983220-\$ or	EPO; JPO;	
		US-6370547-\$ or US-5680618-\$ or	DERWENT;	
		US-5394546-\$ or US-5325522-\$ or	IBM_TDB	
		US-6325283-\$ or US-5765155-\$ or		
		US-5873088-\$ or US-5379424-\$ or		
		US-5220625-\$ or US-6157940-\$ or		
		US-6292802-\$ or US-6055538-\$ or		
		US-6438491-\$ or US-6415307-\$ or		
		US-6363358-\$ or US-6287123-\$ or		
		US-5897607-\$ or US-5726702-\$ or		
		US-5161102-\$ or US-5848410-\$).did. or		
		(US-6189116-\$ or US-5953684-\$ or		
		US-6496833-\$ or US-6243835-\$ or		
		US-6031990-\$ or US-6219829-\$ or		
		US-6324534-\$ or US-6408306-\$ or		
		US-6415280-\$ or US-6374268-\$ or		
		US-6405351-\$ or US-6463431-\$ or		
		US-6219668-\$ or US-6169992-\$ or		
		US-5734874-\$ or US-5113519-\$ or		
		US-6205446-\$ or US-6493709-\$ or		
		US-5630114-\$ or US-5664086-\$ or		
		US-5675672-\$ or US-4882703-\$ or		
		US-6275822-\$ or US-6144940-\$ or		
		US-6119133-\$ or US-6094654-\$ or		
		US-6094649-\$).did. or (US-6041324-\$ or		
		· · · · · · · · · · · · · · · · · · ·		
		US-5991772-\$ or US-5937096-\$ or		
		US-5896530-\$ or US-5832471-\$ or		
		US-5758061-\$ or US-5794226-\$ or		
		US-5634124-\$ or US-5778385-\$ or		
		US-5745888-\$ or US-5724503-\$ or		
		US-5603020-\$ or US-5517892-\$ or		
		US-6279157-\$ or US-5369778-\$ or		
		US-5421012-\$ or US-5369484-\$ or		
		US-5247683-\$ or US-5202982-\$ or		
		US-5129082-\$ or US-6167401-\$ or		
		US-5857192-\$ or US-6421071-\$ or		
		US-6138112-\$ or US-5317728-\$ or		[
		US-5392209-\$ or US-5937406-\$).did. or		
		(US-5421015-\$ or US-6311301-\$ or		
		US-6313652-\$ or US-6338068-\$ or		
		US-6219777-\$ or US-5799266-\$ or		
		US-5877961-\$ or US-5745389-\$ or		
		US-5757680-\$ or US-5021997-\$ or		
		US-6385664-\$ or US-5822565-\$ or		
		US-5388257-\$ or US-6405149-\$ or		
		US-6332211-\$ or US-6356859-\$ or		
		US-6205407-\$ or US-6453325-\$ or		
		US-5717911 <b>-</b> \$ or US-6591272-\$ or		
		US-5030117-\$ or US-6622271-\$ or		
		US-6581052-\$ or US-6513047-\$).did. or		
		(US-20010047373-\$ or US-20020042795-\$ or		
		US-20020065879-\$ or US-20020023158-\$ or		
		US-20020138501-\$ or US-20020083120-\$ or		
		US-20020112008-\$ or US-20020064149-\$ or		
		US-20020078069-\$ or US-20020052884-\$ or		
		US-20020026521-\$ or US-20010018697-\$ or		
		US-20020023175-\$ or US-20020033762-\$ or		
		US-20020023173-\$ of 03-20020033702 \$ 01		
		US-20020107633-3 Of US-20020032538-\$).did. or		
		(JP-11224215-\$).did. or (BR-8902762-\$ or		
		EP-67290-\$ or US-5666525-\$).did.) and		
		, , , , , , , , , , , , , , , , , , , ,		
		mpep	l	1